

SPECIFICATIONS

FN 25-270

Make		FUSO
Range		Fighter
Model		FN25-270 FC
Model Code		FN61FR2RBJ1
Axle Layout		6x2
Cab		Forward Control
Crew		3 seating
Vehicle type		Freight Carrier
Mass Data (kg)		
GVM	Manufacturer's gross vehicle mass	25000
GCM	Manufacturer's gross combination mass	32000
D/T	Permissible max towing drawing vehicle mass	32000
GA-Front	Manufacturer's front axle mass	6000
GA-Rear	Manufacturer's rear axle mass	20000
V	Permissible maximum vehicle mass	24000
AF	Permissible maximum front axle mass	6000
AR	Permissible maximum rear axle mass	18000
UF	Unladen front axle mass	3100
UR	Unladen rear axle mass	3455
UT (Tare)	Total unladen mass	6555
Permissible Body + Payload		17445
Fuel Tank (Litres)	Capacity	300
Dimensions (mm)		
OL	Overall length	9760
OW	Overall width	2470
CA	Cab to Axle	4905
OH	Overall height	2675
FOH	Front overhang	1245
ROH	Rear overhang	2140
WB	Wheelbase	5650
Performance		
Gradeability at Permissible Maximum Weight (V)		35.5%
Maximum Speed (SA Legislation)		80 km/h
Minimum turning radius		10.7 m
Standard Equipment/features		
Antilock Braking System (ABS) Exhaust Brake System Air dryer Tray under assistant seat Reverse warning buzzer High-low range indicator Standard tool set and hydraulic jack Heater and defroster Tachometer Cigarette lighter Filter minder		
Standard Services		
4 years / 300 000 km warranty		
20 000km maintenance schedule		

Engine	
Make	FUSO
Model	6M60-1AT1
Configuration	Diesel inline 6
Capacity (cm3)	7545
Type	"Four stroke water cooled direct injection diesel engine, Turbo charged"
Power at RPM	199 @ 2600 - 2600
Torque at RPM	786 @ 1400 - 1400
Emission standards	Euro 2
Generator	24 V / 50 A
Air Cleaner	Dry paper dual element type
Suction	Snorkel and rain cap
Governor	Electrical control type
Transmission	
Make	EATON
Model	FS-8209
Type	Synchromesh
Shift	Manual
No. of gears forward	9
Low gear ratio	12.6
High gear ratio	1
Clutch	
Make	FUSO
Model	C7M38
Type	Hydraulic
Diameter (mm)	380
Drive Axle	
Model	D052H
Reduction type	Single
Final Ratio	5.142
Suspension	
Front	Long taper leaf springs with double acting type shock absorbers
Rear	Laminated leaf springs
Steering	
	Hydraulic power assisted
Brakes	
System type	Full Air, Dual circuit, Wedge type
Front	Drum
Rear	Drum
ABS	Yes
Park/Emergency System	Yes
Auxiliary Brakes	Exhaust brake
Tyres and Rims	
Tyre Sizes	11R22.5
Wheel type	Drum Type
Electrical	
System	24V

DIMENSIONS

